

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L1 | 1451 | 713/155-158.ccls. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L2 | 924 | L1 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L3 | 1332 | certificate with hash | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L4 | 185 | L3 and ((permission or trust) with level) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L5 | 127 | L4 and ((public adj key) with hash) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L6 | 53 | L5 and (root adj certificate) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L7 | 9 | L6 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L8 | 2 | "trust information object" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|----|----|------------------|
| L9 | 334 | certificate adj (list or table) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L10 | 76 | L9 and "time stamp" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L11 | 34 | L10 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L12 | 4 | L9 and "broadcast channel" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L13 | 0 | L12 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L14 | 44 | L2 and (root adj certificate) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L15 | 25 | L14 and ((new or updat\$3) with (certificate or trust)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L16 | 0 | ("hard code" or "hard coding") with (root adj certificate) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|----|------------------|
| L17 | 2 | ("hard code" or "hard coding") with (certificate) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L18 | 1332 | certificate with hash | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L19 | 145 | L18 and (trust with level) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L20 | 65 | L19 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L21 | 8 | L20 and (certificate with indicat\$3 with level) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L22 | 20 | (unrevok\$4 or "non-revokeable" or "nonrevokable") with certificate | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L23 | 12 | L22 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L24 | 0 | (unrevokable or "non-revokeable" or nonrevokable) with certificate and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| L25 | 0 | (unrevokable or "non-revokeable" or nonrevokable "not revokable") with certificate and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L26 | 59 | (unrevokable or "non-revokeable" or nonrevokable "not revokable" or permanent) with certificate and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L27 | 25 | L26 and digital with certificate | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L28 | 0 | (unrevokable or "non-revoceable" or nonrevokable) with certificate and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L29 | 0 | (unrevokable or "non-revocable" or nonrevokable "not revokable") with certificate and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L30 | 1 | (permanent) with "digital certificate" and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L31 | 288 | "signing certificate" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L32 | 147 | L31 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| L33 | 16 | L32 and root adj certificate | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L34 | 332 | (verify\$3 or validat\$3) with (multiple or many) with (signature or hash or checksum) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L35 | 142 | L34 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| L36 | 6 | ("6304974" or "6816900" or "4868877").pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2006/07/18 13:26 |
| S1 | 1273 | 713/155-158.ccls. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 17:17 |
| S2 | 836 | S1 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:23 |
| S3 | 1100 | certificate with hash | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:23 |
| S4 | 142 | S3 and ((permission or trust) with level) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 11:03 |

EAST Search History

| | | | | | | |
|-----|-----|-------------------------------------|--|----|----|------------------|
| S5 | 111 | S4 and ((public adj key) with hash) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:24 |
| S6 | 47 | S5 and (root adj certificate) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:34 |
| S7 | 8 | S6 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:27 |
| S8 | 2 | "trust information object" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:31 |
| S9 | 284 | certificate adj (list or table) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:34 |
| S10 | 62 | S9 and "time stamp" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:32 |
| S11 | 31 | S10 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:32 |
| S12 | 3 | S9 and "broadcast channel" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:34 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|----|------------------|
| S13 | 0 | S12 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:34 |
| S14 | 40 | S2 and (root adj certificate) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:38 |
| S15 | 23 | S14 and ((new or updat\$3) with (certificate or trust)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:35 |
| S16 | 0 | ("hard code" or "hard coding") with (root adj certificate) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:38 |
| S17 | 2 | ("hard code" or "hard coding") with (certificate) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/21 17:38 |
| S18 | 1103 | certificate with hash | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 11:03 |
| S19 | 126 | S18 and (trust with level) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 11:03 |
| S20 | 60 | S19 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 11:11 |

EAST Search History

| | | | | | | |
|-----|----|--|--|----|----|------------------|
| S21 | 8 | S20 and (certificate with indicat\$3 with level) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:26 |
| S22 | 18 | (unrevok\$4 or "non-revokeable" or "nonrevokable") with certificate | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:28 |
| S23 | 12 | S22 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:27 |
| S24 | 0 | (unrevokable or "non-revokeable" or nonrevokable) with certificate and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:32 |
| S25 | 0 | (unrevokable or "non-revokeable" or nonrevokable "not revokable") with certificate and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:28 |
| S26 | 59 | (unrevokable or "non-revokeable" or nonrevokable "not revokable" or permanent) with certificate and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:33 |
| S27 | 25 | S26 and digital with certificate | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:42 |
| S28 | 0 | (unrevokable or "non-revoceable" or nonrevokable) with certificate and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:33 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| S29 | 0 | (unrevocable or "non-revocable" or nonrevocable "not revocable") with certificate and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:33 |
| S30 | 1 | (permanent) with "digital certificate" and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:34 |
| S31 | 235 | "signing certificate" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:42 |
| S32 | 133 | S31 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:43 |
| S33 | 13 | S32 and root adj certificate | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 13:43 |
| S34 | 283 | (verify\$3 or validat\$3) with (multiple or many) with (signature or hash or checksum) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 15:11 |
| S35 | 132 | S34 and @ad<"20020125" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 15:11 |
| S36 | 6 | ("6304974" or "6816900" or "4868877").pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2005/12/22 17:17 |